

Reefer's Bay Delta 10 Blue Dream

 Sample ID: SA-230830-26489
 Batch: 05JUL2023-RBD10BD
 Type: Finished Product - Inhalable
 Matrix: Concentrate - Distillate
 Unit Mass (g):

 Received: 09/01/2023
 Completed: 09/13/2023

Client
 Reefer's Bay
 275 Medical Dr 4783
 Carmel, IN 46038
 USA


Summary

| Test | Date Tested | Status |
|-------------------|-------------|--------|
| Cannabinoids | 09/13/2023 | Tested |
| Heavy Metals | 09/07/2023 | Tested |
| Microbials | 09/06/2023 | Tested |
| Mycotoxins | 09/08/2023 | Tested |
| Pesticides | 09/08/2023 | Tested |
| Residual Solvents | 09/13/2023 | Tested |
| Terpenes | 09/07/2023 | Tested |

| | | | | | |
|---------------------------|-------------------------|-------------------------------------|---------------------------------------|-------------------------------------|---|
| ND Total Δ9-THC | 67.1 % Δ8-THC | 91.2 % Total Cannabinoids | Not Tested Moisture Content | Not Tested Foreign Matter | Yes Internal Standard Normalization |
|---------------------------|-------------------------|-------------------------------------|---------------------------------------|-------------------------------------|---|


Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

| Analyte | LOD (%) | LOQ (%) | Result (%) | Result (mg/g) |
|---------------------|---------|---------|-------------|---------------|
| CBC | 0.0009 | 0.0028 | ND | ND |
| CBCA | 0.0018 | 0.0054 | ND | ND |
| CBCV | 0.0006 | 0.0018 | ND | ND |
| CBD | 0.0008 | 0.0024 | 0.820 | 8.20 |
| CBDA | 0.0004 | 0.0013 | ND | ND |
| CBDV | 0.0006 | 0.0018 | ND | ND |
| CBDVA | 0.0002 | 0.0006 | ND | ND |
| CBG | 0.0006 | 0.0017 | ND | ND |
| CBGA | 0.0005 | 0.0015 | ND | ND |
| CBL | 0.0011 | 0.0034 | ND | ND |
| CBLA | 0.0012 | 0.0037 | ND | ND |
| CBN | 0.0006 | 0.0017 | 0.259 | 2.59 |
| CBNA | 0.0006 | 0.0018 | ND | ND |
| CBT | 0.0018 | 0.0054 | ND | ND |
| Δ6a,10a-THC | 0.0067 | 0.02 | 15.1 | 151 |
| Δ8-THC | 0.001 | 0.0031 | 67.1 | 671 |
| Δ8-THCV | 0.0067 | 0.02 | 0.135 | 1.35 |
| Δ9-THC | 0.0008 | 0.0023 | ND | ND |
| Δ9-THCA | 0.0008 | 0.0025 | ND | ND |
| Δ9-THCV | 0.0007 | 0.0021 | ND | ND |
| Δ9-THCVA | 0.0006 | 0.0019 | ND | ND |
| (6aR,9R)-Δ10-THC | 0.0067 | 0.02 | 3.64 | 36.4 |
| (6aR,9S)-Δ10-THC | 0.0067 | 0.02 | 0.747 | 7.47 |
| exo-THC | 0.0067 | 0.02 | 0.389 | 3.89 |
| Δ8-iso-THC | 0.0067 | 0.02 | 1.67 | 16.7 |
| Δ4,8-iso-THC | 0.0067 | 0.02 | 1.34 | 13.4 |
| Total Δ9-THC | | | ND | ND |
| Total | | | 91.2 | 912 |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA



 Generated By: Ryan Bellone
 CCO
 Date: 09/13/2023



 Tested By: Scott Caudill
 Laboratory Manager
 Date: 09/13/2023

 ISO/IEC 17025:2017 Accredited
 Accreditation #108651


DA * 0.877 + CBD;



Reefer's Bay Delta 10 Blue Dream

Sample ID: SA-230830-26489
Batch: 05JUL2023-RBD10BD
Type: Finished Product - Inhalable
Matrix: Concentrate - Distillate
Unit Mass (g):

Received: 09/01/2023
Completed: 09/13/2023

Client
Reefer's Bay
275 Medical Dr 4783
Carmel, IN 46038
USA



Generated By: Ryan Bellone
CCO
Date: 09/13/2023



Reefer's Bay Delta 10 Blue Dream

 Sample ID: SA-230830-26489
 Batch: 05JUL2023-RBD10BD
 Type: Finished Product - Inhalable
 Matrix: Concentrate - Distillate
 Unit Mass (g):



 Received: 09/01/2023
 Completed: 09/13/2023

Client
 Reefer's Bay
 275 Medical Dr 4783
 Carmel, IN 46038
 USA

Terpenes by GC-MS

| Analyte | LOD (%) | LOQ (%) | Result (%) | Analyte | LOD (%) | LOQ (%) | Result (%) |
|---------------------|---------|---------|------------|---------------------------|---------|---------|-------------|
| α-Bisabolol | 0.002 | 0.01 | ND | Limonene | 0.002 | 0.01 | 0.273 |
| (+)-Borneol | 0.002 | 0.01 | ND | Linalool | 0.002 | 0.01 | 0.233 |
| Camphene | 0.002 | 0.01 | <LOQ | β-myrcene | 0.002 | 0.01 | 0.421 |
| Camphor | 0.004 | 0.02 | ND | Nerol | 0.002 | 0.01 | ND |
| 3-Carene | 0.002 | 0.01 | ND | cis-Nerolidol | 0.002 | 0.01 | ND |
| β-Caryophyllene | 0.002 | 0.01 | 0.392 | trans-Nerolidol | 0.002 | 0.01 | ND |
| Caryophyllene Oxide | 0.002 | 0.01 | 0.0199 | Ocimene | 0.002 | 0.01 | ND |
| α-Cedrene | 0.002 | 0.01 | ND | α-Phellandrene | 0.002 | 0.01 | 0.119 |
| Cedrol | 0.002 | 0.01 | ND | β-Pinene | 0.002 | 0.01 | 0.693 |
| Eucalyptol | 0.002 | 0.01 | ND | β-Pinene | 0.002 | 0.01 | 0.235 |
| Fenchone | 0.004 | 0.02 | ND | Pulegone | 0.002 | 0.01 | ND |
| Fenchyl Alcohol | 0.002 | 0.01 | ND | Sabinene | 0.002 | 0.01 | <LOQ |
| Geraniol | 0.002 | 0.01 | ND | Sabinene Hydrate | 0.002 | 0.01 | ND |
| Geranyl Acetate | 0.002 | 0.01 | ND | α-Terpinene | 0.002 | 0.01 | ND |
| Guaiol | 0.002 | 0.01 | ND | γ-Terpinene | 0.002 | 0.01 | ND |
| Hexahydrothymol | 0.002 | 0.01 | ND | α-Terpineol | 0.001 | 0.005 | ND |
| α-Humulene | 0.002 | 0.01 | 0.019 | γ-Terpineol | 0.001 | 0.005 | ND |
| Isoborneol | 0.002 | 0.01 | ND | Terpinolene | 0.002 | 0.01 | <LOQ |
| Isopulegol | 0.002 | 0.01 | ND | Valencene | 0.002 | 0.01 | ND |
| | | | | Total Terpenes (%) | | | 2.42 |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit




 Generated By: Ryan Bellone
 CCO
 Date: 09/13/2023



 Tested By: Jasper van Heemst
 Principal Scientist
 Date: 09/07/2023


Reefer's Bay Delta 10 Blue Dream

 Sample ID: SA-230830-26489
 Batch: 05JUL2023-RBD10BD
 Type: Finished Product - Inhalable
 Matrix: Concentrate - Distillate
 Unit Mass (g):

 Received: 09/01/2023
 Completed: 09/13/2023

Client
 Reefer's Bay
 275 Medical Dr 4783
 Carmel, IN 46038
 USA


Heavy Metals by ICP-MS

| Analyte | LOD (ppb) | LOQ (ppb) | Result (ppb) |
|---------|-----------|-----------|--------------|
| Arsenic | 2 | 20 | ND |
| Cadmium | 1 | 20 | ND |
| Lead | 2 | 20 | ND |
| Mercury | 12 | 50 | ND |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit



 Generated By: Ryan Bellone
 CCO
 Date: 09/13/2023



 Tested By: Chris Farman
 Scientist
 Date: 09/07/2023


Reefer's Bay Delta 10 Blue Dream

 Sample ID: SA-230830-26489
 Batch: 05JUL2023-RBD10BD
 Type: Finished Product - Inhalable
 Matrix: Concentrate - Distillate
 Unit Mass (g):

 Received: 09/01/2023
 Completed: 09/13/2023

Client
 Reefer's Bay
 275 Medical Dr 4783
 Carmel, IN 46038
 USA

Pesticides by LC-MS/MS

| Analyte | LOD (ppb) | LOQ (ppb) | Result (ppb) | Analyte | LOD (ppb) | LOQ (ppb) | Result (ppb) |
|----------------------|-----------|-----------|--------------|--------------------|-----------|-----------|--------------|
| Acephate | 30 | 100 | ND | Hexythiazox | 30 | 100 | ND |
| Acetamiprid | 30 | 100 | ND | Imazalil | 30 | 100 | ND |
| Aldicarb | 30 | 100 | ND | Imidacloprid | 30 | 100 | ND |
| Azoxystrobin | 30 | 100 | ND | Kresoxim methyl | 30 | 100 | ND |
| Bifenazate | 30 | 100 | ND | Malathion | 30 | 100 | ND |
| Bifenthrin | 30 | 100 | ND | Metalaxyl | 30 | 100 | ND |
| Boscalid | 30 | 100 | ND | Methiocarb | 30 | 100 | ND |
| Carbaryl | 30 | 100 | ND | Methomyl | 30 | 100 | ND |
| Carbofuran | 30 | 100 | ND | Mevinphos | 30 | 100 | ND |
| Chloranthraniliprole | 30 | 100 | ND | Myclobutanil | 30 | 100 | ND |
| Chlorfenapyr | 30 | 100 | ND | Naled | 30 | 100 | ND |
| Chlorpyrifos | 30 | 100 | ND | Oxamyl | 30 | 100 | ND |
| Clofentezine | 30 | 100 | ND | Paclobutrazol | 30 | 100 | ND |
| Coumaphos | 30 | 100 | ND | Permethrin | 30 | 100 | ND |
| Daminozide | 30 | 100 | ND | Phosmet | 30 | 100 | ND |
| Diazinon | 30 | 100 | ND | Piperonyl Butoxide | 30 | 100 | ND |
| Dichlorvos | 30 | 100 | ND | Prallethrin | 30 | 100 | ND |
| Dimethoate | 30 | 100 | ND | Propiconazole | 30 | 100 | ND |
| Dimethomorph | 30 | 100 | ND | Propoxur | 30 | 100 | ND |
| Ethoprophos | 30 | 100 | ND | Pyrethrins | 30 | 100 | ND |
| Etofenprox | 30 | 100 | ND | Pyridaben | 30 | 100 | ND |
| Etoxazole | 30 | 100 | ND | Spinetoram | 30 | 100 | ND |
| Fenhexamid | 30 | 100 | ND | Spinosad | 30 | 100 | ND |
| Fenoxycarb | 30 | 100 | ND | Spiromesifen | 30 | 100 | ND |
| Fenpyroximate | 30 | 100 | ND | Spirotetramat | 30 | 100 | ND |
| Fipronil | 30 | 100 | ND | Spiroxamine | 30 | 100 | ND |
| Fonicamid | 30 | 100 | ND | Tebuconazole | 30 | 100 | ND |
| Fludioxonil | 30 | 100 | ND | Thiacloprid | 30 | 100 | ND |
| | | | | Thiamethoxam | 30 | 100 | ND |
| | | | | Trifloxystrobin | 30 | 100 | ND |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit



 Generated By: Ryan Bellone
 CCO
 Date: 09/13/2023



 Tested By: Jasper van Heemst
 Principal Scientist
 Date: 09/08/2023


Reefer's Bay Delta 10 Blue Dream

 Sample ID: SA-230830-26489
 Batch: 05JUL2023-RBD10BD
 Type: Finished Product - Inhalable
 Matrix: Concentrate - Distillate
 Unit Mass (g):

 Received: 09/01/2023
 Completed: 09/13/2023

Client
 Reefer's Bay
 275 Medical Dr 4783
 Carmel, IN 46038
 USA

Mycotoxins by LC-MS/MS

| Analyte | LOD (ppb) | LOQ (ppb) | Result (ppb) |
|--------------|-----------|-----------|--------------|
| B1 | 1 | 5 | ND |
| B2 | 1 | 5 | ND |
| G2 | 1 | 5 | ND |
| Ochratoxin A | 1 | 5 | ND |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit



 Generated By: Ryan Bellone
 CCO
 Date: 09/13/2023



 Tested By: Jasper van Heemst
 Principal Scientist
 Date: 09/08/2023


Reefer's Bay Delta 10 Blue Dream

 Sample ID: SA-230830-26489
 Batch: 05JUL2023-RBD10BD
 Type: Finished Product - Inhalable
 Matrix: Concentrate - Distillate
 Unit Mass (g):

 Received: 09/01/2023
 Completed: 09/13/2023

Client
 Reefer's Bay
 275 Medical Dr 4783
 Carmel, IN 46038
 USA

Microbials by PCR and Plating

| Analyte | LOD (CFU/g) | Result (CFU/g) | Result (Qualitative) |
|--------------------------------------|-------------|----------------|-------------------------|
| Total aerobic count | 1 | ND | |
| Total coliforms | 1 | ND | |
| Generic E. coli | 1 | ND | |
| Salmonella spp. | 1 | | Not Detected per 1 gram |
| Shiga-toxin producing E. coli (STEC) | 1 | | Not Detected per 1 gram |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; CFU = Colony Forming Units; P = Pass; F = Fail; RL = Reporting Limit



 Generated By: Ryan Bellone
 CCO
 Date: 09/13/2023



 Tested By: Addison Riel
 Laboratory Technician
 Date: 09/06/2023


Reefer's Bay Delta 10 Blue Dream

 Sample ID: SA-230830-26489
 Batch: 05JUL2023-RBD10BD
 Type: Finished Product - Inhalable
 Matrix: Concentrate - Distillate
 Unit Mass (g):

 Received: 09/01/2023
 Completed: 09/13/2023

Client
 Reefer's Bay
 275 Medical Dr 4783
 Carmel, IN 46038
 USA


Residual Solvents by HS-GC-MS

| Analyte | LOD (ppm) | LOQ (ppm) | Result (ppm) | Analyte | LOD (ppm) | LOQ (ppm) | Result (ppm) |
|-----------------------|-----------|-----------|--------------|--------------------------|-----------|-----------|--------------|
| Acetone | 167 | 500 | ND | Ethylene Glycol | 21 | 62 | ND |
| Acetonitrile | 14 | 41 | ND | Ethylene Oxide | 0.5 | 1 | ND |
| Benzene | 0.5 | 1 | ND | Heptane | 167 | 500 | ND |
| Butane | 167 | 500 | ND | n-Hexane | 10 | 29 | ND |
| 1-Butanol | 167 | 500 | ND | Isobutane | 167 | 500 | ND |
| 2-Butanol | 167 | 500 | ND | Isopropyl Acetate | 167 | 500 | ND |
| 2-Butanone | 167 | 500 | ND | Isopropyl Alcohol | 167 | 500 | ND |
| Chloroform | 2 | 6 | ND | Isopropylbenzene | 167 | 500 | ND |
| Cyclohexane | 129 | 388 | ND | Methanol | 100 | 300 | ND |
| 1,2-Dichloroethane | 0.5 | 1 | ND | 2-Methylbutane | 10 | 29 | ND |
| 1,2-Dimethoxyethane | 4 | 10 | ND | Methylene Chloride | 20 | 60 | ND |
| Dimethyl Sulfoxide | 167 | 500 | ND | 2-Methylpentane | 10 | 29 | ND |
| N,N-Dimethylacetamide | 37 | 109 | ND | 3-Methylpentane | 10 | 29 | ND |
| 2,2-Dimethylbutane | 10 | 29 | ND | n-Pentane | 167 | 500 | ND |
| 2,3-Dimethylbutane | 10 | 29 | ND | 1-Pentanol | 167 | 500 | ND |
| N,N-Dimethylformamide | 30 | 88 | ND | n-Propane | 167 | 500 | ND |
| 2,2-Dimethylpropane | 167 | 500 | ND | 1-Propanol | 167 | 500 | ND |
| 1,4-Dioxane | 13 | 38 | ND | Pyridine | 7 | 20 | ND |
| Ethanol | 167 | 500 | ND | Tetrahydrofuran | 24 | 72 | ND |
| 2-Ethoxyethanol | 6 | 16 | ND | Toluene | 30 | 89 | ND |
| Ethyl Acetate | 167 | 500 | ND | Trichloroethylene | 3 | 8 | ND |
| Ethyl Ether | 167 | 500 | ND | Tetramethylene Sulfone | 6 | 16 | ND |
| Ethylbenzene | 3 | 7 | ND | Xylenes (o-, m-, and p-) | 73 | 217 | ND |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit



 Generated By: Ryan Bellone
 CCO
 Date: 09/13/2023



 Tested By: Scott Caudill
 Laboratory Manager
 Date: 09/13/2023


Reefer's Bay Delta 10 Blue Dream

Sample ID: SA-230830-26489
 Batch: 05JUL2023-RBD10BD
 Type: Finished Product - Inhalable
 Matrix: Concentrate - Distillate
 Unit Mass (g):

Received: 09/01/2023
 Completed: 09/13/2023

Client
 Reefer's Bay
 275 Medical Dr 4783
 Carmel, IN 46038
 USA

Reporting Limit Appendix

Heavy Metals - Colorado CDPHE

| Analyte | Limit (ppb) | Analyte | Limit (ppb) |
|---------|-------------|---------|-------------|
| Arsenic | 1500 | Lead | 500 |
| Cadmium | 500 | Mercury | 1500 |

Microbials -

| Analyte | Limit (CFU/g) | Analyte | Limit (CFU/g) |
|-----------------|---------------|---------------------|---------------|
| Total coliforms | 100 | Total aerobic count | 100000 |

Residual Solvents - USP 467

| Analyte | Limit (ppm) | Analyte | Limit (ppm) |
|-----------------------|-------------|--------------------------|-------------|
| Acetone | 5000 | Ethylene Glycol | 620 |
| Acetonitrile | 410 | Ethylene Oxide | 1 |
| Benzene | 2 | Heptane | 5000 |
| Butane | 5000 | n-Hexane | 290 |
| 1-Butanol | 5000 | Isobutane | 5000 |
| 2-Butanol | 5000 | Isopropyl Acetate | 5000 |
| 2-Butanone | 5000 | Isopropyl Alcohol | 5000 |
| Chloroform | 60 | Isopropylbenzene | 5000 |
| Cyclohexane | 3880 | Methanol | 3000 |
| 1,2-Dichloroethane | 5 | 2-Methylbutane | 290 |
| 1,2-Dimethoxyethane | 100 | Methylene Chloride | 600 |
| Dimethyl Sulfoxide | 5000 | 2-Methylpentane | 290 |
| N,N-Dimethylacetamide | 1090 | 3-Methylpentane | 290 |
| 2,2-Dimethylbutane | 290 | n-Pentane | 5000 |
| 2,3-Dimethylbutane | 290 | 1-Pentanol | 5000 |
| N,N-Dimethylformamide | 880 | n-Propane | 5000 |
| 2,2-Dimethylpropane | 5000 | 1-Propanol | 5000 |
| 1,4-Dioxane | 380 | Pyridine | 200 |
| Ethanol | 5000 | Tetrahydrofuran | 720 |
| 2-Ethoxyethanol | 160 | Toluene | 890 |
| Ethyl Acetate | 5000 | Trichloroethylene | 80 |
| Ethyl Ether | 5000 | Tetramethylene Sulfone | 160 |
| Ethylbenzene | 70 | Xylenes (o-, m-, and p-) | 2170 |

Pesticides - CA DCC

| Analyte | Limit (ppb) | Analyte | Limit (ppb) |
|----------------------|-------------|--------------------|-------------|
| Aldicarb | 30 | Imidacloprid | 3000 |
| Azoxystrobin | 40000 | Kresoxim methyl | 1000 |
| Bifenazate | 5000 | Malathion | 5000 |
| Bifenthrin | 500 | Metalaxyl | 15000 |
| Boscalid | 10000 | Methiocarb | 30 |
| Carbaryl | 500 | Methomyl | 100 |
| Carbofuran | 30 | Mevinphos | 30 |
| Chloranthraniliprole | 40000 | Myclobutanil | 9000 |
| Chlorfenapyr | 30 | Naled | 500 |
| Chlorpyrifos | 30 | Oxamyl | 200 |
| Clofentezine | 500 | Pacllobutrazol | 30 |
| Coumaphos | 30 | Permethrin | 20000 |
| Daminozide | 30 | Phosmet | 200 |
| Diazinon | 200 | Piperonyl Butoxide | 8000 |
| Dichlorvos | 30 | Prallethrin | 400 |
| Dimethoate | 30 | Propiconazole | 20000 |
| Dimethomorph | 20000 | Propoxur | 30 |
| Ethoprophos | 30 | Pyrethrins | 1000 |
| Etofenprox | 30 | Pyridaben | 3000 |
| Etoazole | 1500 | Spinetoram | 3000 |
| Fenhexamid | 10000 | Spinosad | 3000 |
| Fenoxycarb | 30 | Spiromesifen | 12000 |
| Fenpyroximate | 2000 | Spirotetramat | 13000 |
| Fipronil | 30 | Spiroxamine | 30 |
| Fonicamid | 2000 | Tebuconazole | 2000 |
| Fludioxonil | 30000 | Thiacloprid | 30 |

Mycotoxins - Colorado CDPHE

| Analyte | Limit (ppm) | Analyte | Limit (ppm) |
|--------------|-------------|---------|-------------|
| B1 | 5 | B2 | 5 |
| Ochratoxin A | 5 | G2 | 5 |

Pesticides - CA DCC

| Analyte | Limit (ppb) | Analyte | Limit (ppb) |
|-------------|-------------|-------------|-------------|
| Acephate | 5000 | Hexythiazox | 2000 |
| Acetamiprid | 5000 | Imazalil | 30 |

